P.IVA/CF/N. iscr. CCIAA (SI). 01373980521, VAT: IT01373980521



### BlueBeacon

### Bluetooth LE proximity-beacon with iBeacon (TM) technology

### Services and Characteristics

A BlueBeacon is a Bluetooth Low Energy (BLE) proximity beacon that periodically broadcasts an advertising packet formatted according iBeacon technology specifications.

As every BLE device, a BlueBeacon implements Services, each of which contains one or more Characteristics, whose value can be read and/or written. Characteristics are used to store device information or control parameters.

A BlueBeacon has 5 Services: 3 standard BLE Services (identified by a 16-bit UUID) and 2 BlueBeacon-specific Services (identified by a 128-bit UUID).

Characteristics can be of four types:

- readable, fixed: such as the beacon unique serial number or model;
- readable, variable: such as the battery level;
- readable, writable: such as the beacon parameters (as the Proximity UUID);
- writable: such as the access passkey

The following tables and notes contain the description of each Service and Characteristic. These information are useful to access the BlueBeacon using a standard BLE app or for implementing your own app for configuring and controlling the beacon.

In order to access the BlueBeacon, as for all BLE devices, it is required that your mobile phone (based on iOS, Android, Windows or Blackberry) supports Bluetooth 4.0 or successive, at both hardware and operating system level.



## Generic Access Service UUID: 0x1800

Name Device name	<b>UUID</b> 0x2a00		
<b>Description</b> Name of the device	<b>Default value</b> "BlueUp-XX-YYYYYY" where XX = model number and YYYYYYY = serial number	Properties Read, fixed	
Name Appearance	<b>UUID</b> 0x2a01		
<b>Description</b> Appearance of the device	Default value 512 (Generic tag)	Properties Read, fixed	

<b>Device Information</b>
IIIID: 0x180a

OOID. UX 100a		
Name Manufacturer Name String	<b>UUID</b> 0x2a29	
<b>Description</b> Name of the manufacturer	Default value BlueUp	Properties Read, fixed
Name Model Number String	<b>UUID</b> 0x2a24	
<b>Description</b> Number of the model	Default value XX (01 = Mini, 02 = Maxi, 12 = USB, 04 = Forte)	Properties Read, fixed
Name Serial Number String	<b>UUID</b> 0x2a25	
<b>Description</b> Unique serial number (SN)	Default value XXXXXX (6 decimal digits, from 000000 to 999999)	Properties Read, fixed
Name Hardware Revision String	<b>UUID</b> 0x2a27	
<b>Description</b> Revision of the hardware	Default value X.y	Properties Read, fixed
Name Firmware Revision String	<b>UUID</b> 0x2a26	
<b>Description</b> Revision of the firmware	Default value X.y.z.w	Properties Read, fixed
Name Software Revision String	<b>UUID</b> 0x2a28	
<b>Description</b> Revision of the software	Default value X.y	Properties Read, fixed



# Beacon Service UUID: 0x83361900-4d55-445b-b374-d53db987ead8

Name ProximityUUID	<b>UUID</b> 0x8336 <i>2010</i> -4d55-445b-b374-d53db987ead8	
<b>Description</b> UUID of the beacon region	<b>Default value</b> 0xacfd065e-c3c0-11e3-9bbe-1a514932ac01	Properties Read/write
Name Major number	UUID 0x8336 <i>2011</i> -4d55-445b-b374-d53db987ead8	
<b>Description</b> Major number of the beacon region	Default value 0x0000	Properties Read/write
Name Minor number	<b>UUID</b> 0x8336 <i>2012</i> -4d55-445b-b374-d53db987ead8	
<b>Description</b> Minor number of the beacon region	Default value 0x0000	Properties Read/write
Name TX power level	<b>UUID</b> 0x2A07	
<b>Description</b> Transmission power of the beacon	Default value 0xF8 (Mini, Maxi, Forte) [-8dBm] – Note 1 0x0E (USB) [0dBm] – Note 1	Properties Read/write
Name Advertising interval	<b>UUID</b> 0x8336 <i>2013</i> -4d55-445b-b374-d53db987ead8	
<b>Description</b> Advertising interval (expressed in units of 100 msec)	Default value 0x03 (Mini, Maxi, Forte) [300 msec] 0x01 (USB) [100 msec]	Properties Read/write
Name Calibrated RSSI	<b>UUID</b> 0x8336 <i>2014</i> -4d55-445b-b374-d53db987ead8	
Description Received RSSI at 1m in front of the beacon with TX power set to 0dBm	Default value 0xCA (Mini, Maxi, Forte) [-54dBm] – Note 2 0xC3 (USB) [-61dBm] – Note 2	Properties Read/write
Name Power-on mode	<b>UUID</b> 0x8336 <i>2015</i> -4d55-445b-b374-d53db987ead8	
Description Power-on mode (on/off) of the beacon	Default value 0x01 [on] – Note 3	Properties Read/write
Name Operating mode	UUID 0x8336 <i>2016</i> -4d55-445b-b374-d53db987ead8	
Description Operating (connectable/non-connectable) mode of the beacon	Default value 0x01 [connectable] – Note 4	Properties Read/write
Name Non-connectable period	<b>UUID</b> 0x8336 <i>2017</i> -4d55-445b-b374-d53db987ead8	
Description Hours in non-connectable mode	Default value 0x00 [indefinite] – Note 5	Properties Read/write
Name Beacon name	<b>UUID</b> 0x8336 <i>2018</i> -4d55-445b-b374-d53db987ead8	
<b>Description</b> Alphanumeric beacon descriptor	Default value  "BlueUp-XX-YYYYYY" where XX = model number and YYYYYY = serial number	Properties Read/write

P.IVA/CF/N. iscr. CCIAA (SI). 01373980521, VAT: IT01373980521



#### **Notes**

- 1. TX power level is expressed in two different scales:
  - Mini, Maxi, Forte: power level ranges from 0xEC (-20dBm) to 0x04 (+4dBm). Also values equal to 0xE2 (-30dBm) and 0xC9 (-55dBm) are supported
  - USB: power level is expressed in a scale from 0x0 (0) to 0xF (15), ranging from -24dBm to +3dBm
- 2. Calibrated RSSI represent the power received by the smartphone at distance of 1 meter in front of the beacon. This value is broadcast by the beacon, and is used for proximity ranging (in iOS, it is used by iOS CoreLocation APIs). The default value is set in production. It is strongly recommended to update this value in the actual installation environment.
- 3. By default the beacon is ON. In order to switch-off the beacon function, this value must be reset to 0x00. When the beacon is OFF, it is still connectable, but the ranging function is disabled (e.g. it is not received by iOS CoreLocation).
- 4. By default the beacon is connectable. In order to set the beacon in non-connectable mode, this value must be reset to 0x00. Non-connectable mode is required by Apple iBeacon specifications and also increases battery life (up to +30%). When beacon is in non-connectable mode, it can be set in connectable mode in two ways:
  - by removing and reinserting the battery: for a limitied time lapse the beacon is connectable and can set in connectable mode;
  - by imposing a finite time for non-connectable mode operating mode (see Note 5)
- 5. By default, when the beacon is set in non-connectable mode, it works in this mode indefinitely. It is possible to set a finite period for non-connectable mode, by setting a non-zero value. Maximum value is 0x78 (120 hours).

Write



### Security Service UUID: 0x83362900-4d55-445b-b374-d53db987ead8

Name Passkey enable	<b>UUID</b> 0x8336 <i>2020</i> -4d55-445b-b374-d53db987ea	<b>UUID</b> 0x8336 <i>2020</i> -4d55-445b-b374-d53db987ead8	
<b>Description</b> Enable passkey protection	Default value 0x00 [disabled] – Note 6	Properties Read/write	
Name Passkey	<b>UUID</b> 0x8336 <i>2021</i> -4d55-445b-b374-d53db987ead8		
<b>Description</b> Write access passkey	Default value N/A – Note 7	Properties Write	
Name Set passkey	UUID 0x83362022-4d55-445b-b374-d53db987ea	ad8	
Description	Default value	Properties	

00000000 - Note 8

<b>Battery</b>	Service
UUID: 0	x180f

Set a new passkey

Name Battery level	<b>UUID</b> 0x2a19	
Description Estimated residual capacity of the battery, expressed in percentage of nominal capacity	, , , , ,	Properties Read, variable

### Notes

- 6. By default, passkey protection is disabled. In order to enable passkey protection, the value must be set to 0x01. When passkey protection is enabled, all writable characteristics are modifiable only when correct passkey is inserted.
- 7. Characteristics used to write the access passkey (access passkey is a 8-digit decimal number). When passkey protection is enabled, at connection, the user has 30 seconds to enter the passkey. If passkey is not entered within 30 seconds or passkey is wrong, beacon disconnects, and starts working for 1 hour in non-connectable mode. During this period, the beacon is properly working, but it is not connectable (see Note 4). If the user forget the passkey, a reset passowrd can be used: reset password will be communicated on the base of beacon model and serial number.
- 8. Default passkey can be changed, when logged in with passkey enabled. Any decimal value from 0000000 to 9999999 can be used. It is strongly suggested to use a different passkey for every beacon.